

L Number	Hits	Search Text	DB	Time stamp
1	0	(cpu\$1 or microprocessor\$1 or microcontroller\$1) near5 (rc\$1 near5 circuit\$1) near5 capacitor\$1 near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 20:09
2	0	(cpu\$1 or microprocessor\$1 or microcontroller\$1) near5 (rc\$1) near5 capacitor\$1 near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 20:36
3	15	(cpu\$1 or microprocessor\$1 or microcontroller\$1) near5 (rc\$1) and capacitor\$1 near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 20:24
4	694	capacitor\$1 near5 output\$1 near5(duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 20:25
5	694	capacitor\$1 near5 output\$1 near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 20:38
6	22	( capacitor\$1 near5 output\$1 near5 (duration\$1 or length\$1)) and (cpu\$1 and microprocessor\$1 or microcontroller\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 20:26
7	5	(( capacitor\$1 near5 output\$1 near5 (duration\$1 or length\$1)) and (cpu\$1 and microprocessor\$1 or microcontroller\$1)) and rc\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 20:26
8	0	switch\$2 near5 (cpu\$1 or microprocessor\$1 or microcontroller\$1) near5 (rc\$1) near5 capacitor\$1 near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 20:37
9	0	switch\$2 and (cpu\$1 or microprocessor\$1 or microcontroller\$1) near5 (rc\$1) near5 capacitor\$1 near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 20:37
10	0	(cpu\$1 or microprocessor\$1 or microcontroller\$1) near5 (rc\$1) near5 capacitor\$1 near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 20:37
11	44	switch\$2 near5 capacitor\$1 near5 output\$1 near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 21:00
12	3	switch\$2 near5 capacitor\$1 near5 output\$1 near5 (long\$2 or larg\$4 or great\$3) near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 21:02
13	0	switch\$2 near5 (cpu\$1 or microprocessor\$1 or microcontroller\$1) with capacitor\$1 near5 output\$1 near5 (long\$2 or larg\$4 or great\$3) near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 21:03
14	2	switch\$2 near5 (cpu\$1 or microprocessor\$1 or microcontroller\$1) and capacitor\$1 near5 output\$1 near5 (long\$2 or larg\$4 or great\$3) near5 (duration\$1 or length\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 21:49

L Number	Hits	Search Text	DB	Time stamp
-	143	((long\$1 or length\$1 or high\$1) near5 (sequence\$1 or letter\$1 or digit\$1 or symbol\$1) or (short\$1 or low\$4) near5 (sequence\$1 or letter\$1 or digit\$1 or symbol\$1)) with security\$1 and (id\$1 or identification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 12:57
-	6	((long\$1 or length\$1 or high\$1) near5 (sequence\$1 or letter\$1 or digit\$1 or symbol\$1) and (short\$1 or low\$4) near5 (sequence\$1 or letter\$1 or digit\$1 or symbol\$1)) with security\$1 and (id\$1 or identification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:07
-	18	((long\$1 or length\$1 or high\$4) near5 (sequence\$1 or letter\$1 or digit\$1 or symbol\$1 or password\$1) and (short\$1 or low\$4) near5 (sequence\$1 or letter\$1 or digit\$1 or symbol\$1 or password\$1)) with security\$1 and (id\$1 or identification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:05
-	6	(high\$1 near5 security\$1 near5 state\$1 or hss\$1) with (regular\$1 near5 security\$1 near5 state\$1 or rss\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:09
-	14	automatic\$1 near5 security\$1 near5 updat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:32
-	51	(long\$1 password\$1 and short\$1 password\$1) with automatic\$1 near5 security\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:35
-	0	(long\$3 near5 password\$1 and short\$3 near5 password\$1) with automatic\$1 near5 security\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:37
-	1	(long\$3 near5 password\$1 and short\$3 near5 password\$1) and automatic\$1 near5 security\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:45
-	0	((long\$3 or high\$3) near5 (sequence\$1 or pin\$1 or password\$1) and (short\$3 or low\$4) near5 (sequence\$1 or pin\$1 or password\$1)) with automatic\$1 near5 security\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:48
-	0	((long\$3 or new\$1 or high\$3) near5 (sequence\$1 or pin\$1 or password\$1) and (short\$3 or low\$4 or old\$1) near5 (sequence\$1 or pin\$1 or password\$1)) with automatic\$1 near5 security\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:49
-	1	((long\$3 or new\$1 or high\$3) near5 (sequence\$1 or pin\$1 or password\$1) and (short\$3 or low\$4 or old\$1) near5 (sequence\$1 or pin\$1 or password\$1)) same automatic\$1 near5 security\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:50
-	52	((long\$3 or new\$1 or high\$3) near5 (sequence\$1 or pin\$1 or password\$1) and (short\$3 or low\$4 or old\$1) near5 (sequence\$1 or pin\$1 or password\$1)) and automatic\$1 near5 security\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:54
-	46	((long\$3 or new\$1 or high\$3) near5 (sequence\$1 or pin\$1 or password\$1) and (short\$3 or low\$4 or old\$1) near5 (sequence\$1 or pin\$1 or password\$1)) and automatic\$1 near5 security\$1 ) and (forc\$4 or break\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 15:50

-	98	(((((garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) and ((high\$1 near5 security\$1) and (low\$1 near5 security\$1))) and (id\$1 or identification\$1)) and (password\$1 or sequence\$1 or pin\$1)) and automatic\$4) and (intrud\$3 or break\$3 or forc\$4)) and (check\$3 or match\$4)) and (modif\$3 or chang\$3)) and (valid\$1 or invalid\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:55
-	2	(((((garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) and ((high\$1 near5 security\$1) and (low\$1 near5 security\$1))) and (id\$1 or identification\$1)) and (password\$1 or sequence\$1 or pin\$1)) and automatic\$4) and (intrud\$3 or break\$3 or forc\$4)) and (check\$3 or match\$4)) and (modif\$3 or chang\$3)) and (valid\$1 or invalid\$1)) and (keypad\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:59
-	3	two\$1 near5 capacitor\$1 near5 (great\$2 or larg\$3) near5 (duration\$1 or clock\$1 or timer\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 12:56
-	713	electronic\$1 near5 device\$1 with duration\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 12:56
-	254	( electronic\$1 near5 device\$1 with duration\$1) and capacitor\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 12:56
-	2	(( electronic\$1 near5 device\$1 with duration\$1) and capacitor\$1) and chime\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 13:00
-	0	capacitor\$1 near5 duration\$1 near5 (tone\$1 or sound\$1) with chime\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 13:01
-	0	capacitor\$1 near5 duration\$1 near5 (tone\$1 or sound\$1) and chime\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 13:01
-	22	capacitor\$1 near5 duration\$1 near5 (tone\$1 or sound\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 13:11
-	107	capacitor\$1 with (long\$1 or larg\$1) near5 (sound\$1 or tone\$1 or music\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 13:14
-	10	(capacitor\$1 with (long\$1 or larg\$1) near5 (sound\$1 or tone\$1 or music\$1)) and (door\$1 near5 bell\$1 or chime\$1 or bell\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 13:23
-	21221	capacitor\$1 with (timer\$1 or clock\$1 or watchdog\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 13:24

-	6581	(capacitor\$1 with (timer\$1 or clock\$1 or watchdog\$1)) and duration\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/17 13:25
-	1268	((capacitor\$1 with (timer\$1 or clock\$1 or watchdog\$1)) and duration\$1) and (sound\$1 or bell\$1)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/17 13:26
-	24	((capacitor\$1 with (timer\$1 or clock\$1 or watchdog\$1)) and duration\$1) and (sound\$1 or bell\$1)) and chime\$1	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/17 14:01
-	1228	(pair\$1 or dual\$1 or several\$1 or multi\$1 or plurality\$1) near5 capacitor\$1 with single\$1 near5 capacitor\$1	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/17 14:03
-	4	((pair\$1 or dual\$1 or several\$1 or multi\$1 or plurality\$1) near5 capacitor\$1 with single\$1 near5 capacitor\$1) and duration\$1 near5 (sound\$1 or tone\$1 or music\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/17 14:04
-	4	((pair\$1 or dual\$1 or several\$1 or multi\$1 or plurality\$1) near5 capacitor\$1 with single\$1 near5 capacitor\$1) and ((duration\$1 or length\$1) near5 (sound\$1 or tone\$1 or music\$4))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/17 19:02

-	2	(garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) with security\$1 near5 sequence\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 15:56
-	149	(garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) with security\$1 and long\$3 and short\$3 and (sequence\$1 or password\$1 or pin\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:47
-	66	((garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) with security\$1 and long\$3 and short\$3 and (sequence\$1 or password\$1 or pin\$1)) and (id\$1 or identification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 15:59
-	55	((((garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) with security\$1 and long\$3 and short\$3 and (sequence\$1 or password\$1 or pin\$1)) and (id\$1 or identification\$1)) and (intrud\$6 or unauthoriz\$5 or break\$5 or forc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:41
-	0	(garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) with ((high\$1 near5 security\$1) and (low\$1 near5 security\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:49
-	107	(garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) and ((high\$1 near5 security\$1) and (low\$1 near5 security\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:50
-	106	((garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) and ((high\$1 near5 security\$1) and (low\$1 near5 security\$1))) and (id\$1 or identification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:50
-	106	((((garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) and ((high\$1 near5 security\$1) and (low\$1 near5 security\$1))) and (id\$1 or identification\$1)) and (password\$1 or sequence\$1 or pin\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:51
-	100	(((((garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) and ((high\$1 near5 security\$1) and (low\$1 near5 security\$1))) and (id\$1 or identification\$1)) and (password\$1 or sequence\$1 or pin\$1)) and automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:52
-	100	((((((garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) and ((high\$1 near5 security\$1) and (low\$1 near5 security\$1))) and (id\$1 or identification\$1)) and (password\$1 or sequence\$1 or pin\$1)) and automatic\$4) and (intrud\$3 or break\$3 or forc\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:52
-	99	((((((((garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) and ((high\$1 near5 security\$1) and (low\$1 near5 security\$1))) and (id\$1 or identification\$1)) and (password\$1 or sequence\$1 or pin\$1)) and automatic\$4) and (intrud\$3 or break\$3 or forc\$4)) and (check\$3 or match\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:53
-	99	(((((((((garage\$1 near5 door\$1 or car\$1 near5 keyless\$2 near5 entrance\$1) and ((high\$1 near5 security\$1) and (low\$1 near5 security\$1))) and (id\$1 or identification\$1)) and (password\$1 or sequence\$1 or pin\$1)) and automatic\$4) and (intrud\$3 or break\$3 or forc\$4)) and (check\$3 or match\$4)) and (modif\$3 or chang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 16:54